

- whatever work that needs to be finished to make this a reality should be completed. we believe that this work is restricted to ptrace and some other codeview-w work.

b. We will delay the commercial release of the sdk ( and thus the ddk) by one month--meaning that no further development resource will be applied to anything not in a. above for the sdk/ddk.

c. user ed should continue to do what work they can/sample code that doesn't require a developer should go on.

d. a. above also applies to drivers

e. in b. above it should say that no further development resource will be applied for 1 month. our goal is to massively reduce the bug pile on the retail release over the next 2 weeks and then the following 2 weeks. we have in mind a target of 600 bugs down over the next 2 weeks.

if anyone is confused talke to jodys.

thx.

From jodys Tue Aug 1 17:22:05 1989  
To: philba tomle  
Subject: dos clone check on windows  
Date: Sat Jun 27 11:14:10 PDT 1992

>From bjbahk Mon Jul 24 15:51:21 1989  
To: jodys  
Subject: dos clone check on windows  
Cc: philba yasukim  
Date: Mon Jul 24 15:48:31 1989

Bill Gates ordered to all application business units to include checking routines of operating environments and if it is Microsoft DOS, nothing will happen. But if it is non MS-DOS(such as DR-DOS), application will display messages saying that "This application has been developed and tested for MICROSOFT MS-DOS. Since you use different environment, this application may not work correctly....."

The question from MSCH is "How to check the DOS is MS-DOS or clone". MSCH wants to include such routine in Hangeul Windows so that Hangeul windows can run only on Hangeul MS-DOS.  
Could you tell me to whom I can ask to resolve this problem?

Thanks  
bjbahk/Far East Product Engineering Group

=====

>From yongchi Thu Jul 20 18:08:50 1989  
To: bjbahk  
Subject: DOS clone check on Windows  
Cc: bclee dkkim ischoi iyvs sangc ucmoon yhjeon  
Date: Thu Jul 20 18:08:49 1989

Hello BJ,

X 566022  
CONFIDENTIAL

WinMail 1.21

lynra

Sat Jun 27 11:13:26 1992

Page: 27

Plaintiff's Exhibit

9006

Comes V. Microsoft



We will finish our Windows project before October. Now I must decide our product retail Windows spec. Would you please let me know how Windows (or other Apps too) check current dos is MS-DOS or MS-DOS clone? And if it is MS-DOS clone how original Windows handle them - stop windows, warning messages?

Thanks, yongchi

=====

From philba Tue Aug 1 17:38:19 1989  
To: tomle  
Cc: marcw  
Subject: Re: Win386 Dos box  
Date: Sat Jun 27 11:14:12 PDT 1992

gee, I don't know. marc, any ideas?

Sender: tomle Tue Aug 1 16:28:09 1989  
To: philba  
Subject: Win386 Dos box  
Date: Tue Aug 01 16:25:59 1989

I thought I would tell you that I am writing this in win386 v 3.0 rel 1.33. This is Wzmail spawning Brief. This is pretty impressive but I sure hope the end product is going to be faster. This is a D O G. Seriously, what's up is this just pre-release debug code or what?

Tom

From marcw Tue Aug 1 17:52:31 1989  
To: philba tomle  
Subject: Re: Win386 Dos box  
Date: Sat Jun 27 11:14:12 PDT 1992

>From philba Tue Aug 1 17:35:47 1989

gee, I don't know. marc, any ideas?  
Well, how about taking a look at the email I sent to you earlier today.

Sender: tomle Tue Aug 1 16:28:09 1989

X 566023  
CONFIDENTIAL

I thought I would tell you that I am writing this in win386 v 3.0 rel 1.33. This is Wzmail spawning Brief. This is pretty impressive but I sure

hope the end product is going to be faster. This is a D O G. Seriously, what's up is this just pre-release debug code or what?  
We currently hook EVERYTHING in WIN386 and have alot of debug overhead with every GP FAULT (including interrupts). The end product will be a lot faster. Even the current retail version of WIN386 has a few slow cookies

Subject: IOCTL is block device removable, and DOS 4.01  
Date: Sat Jun 27 11:14:43 PDT 1992

Under DOS 4.01, use of INT 21h Function 4408 causes a system hang. Under earlier versions, this returned an error.

This routine is documented as not for use on net drives, but hanging is too severe a penalty for violating this.

From paulha Wed Aug 2 15:35:22 1989  
To: dosbug  
Cc: paulha  
Subject: RUP on tandy 3000NL under dos 3.30 datatable errors  
Date: Sat Jun 27 11:14:45 PDT 1992

severity: 2 RUP only/datalist  
RUP on tandy 3000NL under dos 3.30 datatable errors

remove from the [delete] list: cache.com, diskopt.com, and hsect.com  
all three of these work under the upgraded dos.

From stephenb Wed Aug 2 15:45:42 1989  
To: dwdev dwdos dwgroup dwtest stephenb winners  
Subject: Re: Just when you thought it was safe...  
Date: Sat Jun 27 11:14:45 PDT 1992

...to go back in the water,

the BUGMASTER tells you to start RAIDING again. BUGSRV is back up, and the database has been rebuilt. If you haven't recieved mail from me telling you of a problem, I didn't find any problems that you should fix. This should be the last time I need to bring down the database for a while (unless someone wants me to change a key field...).

Thank you for your patience.

From jodys Wed Aug 2 15:47:45 1989  
To: tomle  
Subject: dos clone check on windows  
Date: Sat Jun 27 11:14:45 PDT 1992

>From bjbahk Wed Aug 2 15:41:33 1989  
To: jodys  
Subject: dos clone check on windows  
Cc: bjbahk  
Date: Wed Aug 2 15:41:04 1989

Hi, Jody.

I am a project manager at Far East Product Engineering group. My main responsibility is to support far east subsidiaries (MSKK and MSCH) technically. You have been great help to us and we really appreciate it. Recently, I have an inquiry from Korea about the windows product.

Bill Gates ordered to all application business units to include checking

X 566024  
CONFIDENTIAL

routines of operating environments and if it is Microsoft DOS, nothing will happen. But if it is non MS-DOS (such as DR-DOS), application will display messages saying that "This application has been developed and tested for MICROSOFT MS-DOS. Since you use different environment, this application may not work correctly....."

The question from MSCH is "How to check the DOS is MS-DOS or clone". MSCH wants to include such routine in Hangeul Windows so that Hangeul windows can run only on Hangeul MS-DOS.

Could you tell me to whom I can ask to resolve this problem?

Thanks

bjbahk/Far East Product Engineering Group

=====  
>From yongchi Thu Jul 20 18:08:50 1989  
To: bjbahk  
Subject: DOS clone check on Windows  
Cc: bclee dkkim ischoi ivys sangc ucmoon yhjeon  
Date: Thu Jul 20 18:08:49 1989

Hello BJ,

We will finish our Windows project before October. Now I must decide our product retail Windows spec. Would you please let me know how Windows (or other Apps too) check current dos is MS-DOS or MS-DOS clone? And if it is MS-DOS clone how original Windows handle them - stop windows, warning messages?

Thanks, yongchi

=====  
From mikecole Wed Aug 2 15:47:47 1989  
To: dosbug  
Cc: mikedr  
Subject: Re: Setup fails under DOS 4.01  
Date: Sat Jun 27 11:14:46 PDT 1992

||| If I try to run Setup off \\windex\kitten under DOS 4.01, it hangs on its first screen. Running under DOS 3.31 works fine. As under DOS 4, I have a SHARE loaded to handle the large disk, I suspect Setup may be encountering a file sharing error it doesn't know how to handle.

More news on this bug:

Turns out I was using a dos lanman redirector with the ms-net software. Jimla gave me a redir.400 (version of redir for Dos 4 running ms-net software. ) This fixed the IOCTL func 08h bug I reported. I think setup runs fine on DOS 4.X with Lan-Man net software so the problem seems only to appear on hybrid net software situations. Mike, I think you'll find this to be the situation on your machine.

Thanks, Mike C.

X 566025  
CONFIDENTIAL